


# Distance pads and accessories

*Distance pads are used in order to provide proper cover of concrete for rebars. Pads are used in reinforced structures, construction elements and it significantly increase stability of whole structure. We offer full range of concrete, steel, plastic pads and many accessories usefull during steel fixing works.*

## Plastic line spacer TRICK

Symbol	Concrete cover [mm]	Package bunch/pallet [m]	Sale unit	Weight [kg/100 m]	Article no.
TRICK 15	15	100/7000	bunch	13,0	PA-PD-TS-0-01331
TRICK 20	20	100/6300	bunch	15,0	PA-PD-TS-0-01332
TRICK 25	25	100/4900	bunch	16,0	PA-PD-TS-0-01333
TRICK 30	30	100/4200	bunch	17,0	PA-PD-TS-0-01334
TRICK 35	35	60/3780	bunch	22,0	PA-PD-TS-0-01335
TRICK 40	40	60/2400	bunch	28,4	PA-PD-TS-0-01336
TRICK 50	50	60/1680	bunch	37,0	PA-PD-TS-0-01337

Total length of spacer - 2 m.



## Plastic line spacer SUPER TRICK

Symbol	Concrete cover [mm]	Package bunch/pallet [m]	Sale unit	Weight [kg/100 m]	Article no.
SUPER TRICK 15	15	100/5000	bunch	5,4	PA-PD-TS-0-01321
SUPER TRICK 20	20	100/5000	bunch	8,4	PA-PD-TS-0-01323
SUPER TRICK 25	25	100/5000	bunch	9,3	PA-PD-TS-0-01324
SUPER TRICK 30	30	100/5000	bunch	11,5	PA-PD-TS-0-01325
SUPER TRICK 35	35	80/3200	bunch	15,0	PA-PD-TS-0-01326
SUPER TRICK 40	40	80/3200	bunch	16,7	PA-PD-TS-0-01327
SUPER TRICK 45	45	80/3200	bunch	19,2	PA-PD-TS-0-01328
SUPER TRICK 50	50	80/3840	bunch	21,7	PA-PD-TS-0-01329
SUPER TRICK 60	60	82/3280	bunch	26,7	PA-PD-TS-0-01330

Total length of spacer - 2 m (exception SUPER TRICK 60 - length 2,05 m).




## Plastic line spacer FOR-TRICK



Symbol	Concrete cover [mm]	Package bunch/pallet [m]	Sale unit	Weight [kg/100 m]	Article no.
FOR-TRICK 20	20	50/4000	bunch	11,5	PA-PD-TS-0-56416
FOR-TRICK 25	25	50/3200	bunch	13,4	PA-PD-TS-0-56417
FOR-TRICK 30	30	50/2800	bunch	14,3	PA-PD-TS-0-56418
FOR-TRICK 35	35	50/2800	bunch	14,7	PA-PD-TS-0-56419
FOR-TRICK 40	40	50/2000	bunch	17,7	PA-PD-TS-0-56420
FOR-TRICK 50	50	50/1600	bunch	19,3	PA-PD-TS-0-56421

Possibility to connect spacers along and across.  
Length of one segment is 1 m.

## Plastic line spacer ISO-TRICK



Symbol	Concrete cover [mm]	Package bunch/pallet [m]	Sale unit	Weight [kg/100 m]	Article no.
ISO-TRICK 15	15	100/7000	pallet	14,0	PA-PD-TS-0-01290
ISO-TRICK 20	20	100/6300	pallet	17,0	PA-PD-TS-0-01291
ISO-TRICK 25	25	100/4900	pallet	18,0	PA-PD-TS-0-01292
ISO-TRICK 30	30	100/4200	pallet	21,0	PA-PD-TS-0-01293
ISO-TRICK 35	35	60/3780	pallet	29,0	PA-PD-TS-0-01294
ISO-TRICK 40	40	60/2400	pallet	34,9	PA-PD-TS-0-01295
ISO-TRICK 50	50	60/1680	pallet	49,5	PA-PD-TS-0-01296

Total length of spacer - 2 m.

## Plastic line spacer DST

for prefabrication



Symbol	Concrete cover [mm]	Package bunch/pallet [m]	Sale unit	Weight [kg/100 m]	Article no.
DST 15	15	250/4500	bunch	8,6	PR-PD-00-0-01724
DST 20	20	250/4500	bunch	9,0	PR-PD-00-0-01725
DST 25	25	250/3750	bunch	9,2	PR-PD-00-0-01726
DST 30	30	250/3000	bunch	9,6	PR-PD-00-0-01727
DST 35	35	250/3000	bunch	10,0	PR-PD-00-0-01728
DST 40	40	250/2250	bunch	10,6	PR-PD-00-0-01729
DST 45	45	250/2250	bunch	10,8	PR-PD-00-0-01730
DST 50	50	250/1875	bunch	11,2	PR-PD-00-0-01732

Length of one segment is 485 mm.

## Plastic point spacer RAS for prefabrication

Symbol	Concrete cover [mm]	Package bag/pallet [pcs]	Sale unit	Weight [kg/100 pcs]	Article no.
RAS 15	15	300/12000	bag	19,6	PR-PD-00-0-05770
RAS 20	20	300/12000	bag	19,9	PR-PD-00-0-01055
RAS 25	25	300/12000	bag	20,2	PR-PD-00-0-05771
RAS 30	30	300/12000	bag	20,5	PR-PD-00-0-05772
RAS 35	35	300/9000	bag	20,8	PR-PD-00-0-05773



Segment diameters:  
180, 207,  
234, 261,  
288, 315 mm.

## Assembling plate for prefabrication

Symbol	Thickness [mm]	Package bag [pcs]	Sale unit	Weight [kg/100 pcs]	Article no.
MP 2	2	250	bag	1,083	PR-PM-00-0-01735
MP 3	3	250	bag	1,588	PR-PM-00-0-01737
MP 5	5	125	bag	2,646	PR-PM-00-0-01738
MP 7	7	125	bag	3,704	PR-PM-00-0-01739
MP 8	8	125	bag	4,763	PR-PM-00-0-01740
MP 9	9	125	bag	5,292	PR-PM-00-0-01741
MP 10	10	125	bag	5,292	PR-PM-00-0-01733
MP 15	15	50	bag	7,965	PR-PM-00-0-01734
MP 20	20	50	bag	10,584	PR-PM-00-0-01736



Plates dimensions:  
70 x 70 mm

Permitted load of plate:  
7 000 kg

## Plastic point spacer TURM

Symbol	Rebar diameter $\Phi$ [mm]	Concrete cover [mm]	Package bag [pcs]	Sale unit	Weight [kg/100 pcs]	Article no.
TURM 20/6-20S	6-20	20	500	bag	1,20	PA-PD-TS-0-01338
TURM 25/6-20S	6-20	25	500	bag	1,50	PA-PD-TS-0-01339
TURM 30/6-20S	6-20	30	500	bag	3,00	PA-PD-TS-0-01340
TURM 35/6-20S	6-20	35	500	bag	3,20	PA-PD-TS-0-29247
TURM 40/6-20S	6-20	40	400	bag	3,50	PA-PD-TS-0-29248
TURM 50/6-20S	6-20	50	375	bag	3,00	PA-PD-TS-0-01059
TURM 20/6-20F	6-20	20	500	bag	1,20	PA-PD-TS-0-48526
TURM 25/6-20F	6-20	25	500	bag	1,50	PA-PD-TS-0-48527
TURM 30/6-20F	6-20	30	500	bag	3,00	PA-PD-TS-0-31910
TURM 35/6-20F	6-20	35	500	bag	3,20	PA-PD-TS-0-48528
TURM 40/6-20F	6-20	40	400	bag	3,50	PA-PD-TS-0-48529
TURM 50/6-20F	6-20	50	400	bag	3,50	PA-PD-TS-0-29249



TURM S



TURM F

## Plastic point spacer BARYŁKA

Symbol	Rebar diameter $\Phi$ [mm]	Concrete cover [mm]	Package bag [pcs]	Sale unit	Weight [kg/100 pcs]	Article no.
BARYŁKA 15	6-16	15	500	bag	4,20	PA-PD-TS-0-01310
BARYŁKA 20	6-16	20	500	bag	4,30	PA-PD-TS-0-01311
BARYŁKA 25	6-16	25	500	bag	4,40	PA-PD-TS-0-01313
BARYŁKA 30	6-16	30	500	bag	4,90	PA-PD-TS-0-01314



## Plastic point spacer FIX



Symbol	Rebar diameter $\Phi$ [mm]	Concrete cover [mm]	Package bag [pcs]	Sale unit	Weight [kg/1000 pcs]	Article no.
FIX 15	4-16	15	1000	bag	4,00	PA-PD-TS-0-01297
FIX 20	4-16	20	500	bag	5,00	PA-PD-TS-0-01299
FIX 25	4-16	25	500	bag	5,70	PA-PD-TS-0-01300
FIX 30	4-16	30	250	bag	6,60	PA-PD-TS-0-01302
FIX 35	4-16	35	250	bag	7,30	PA-PD-TS-0-01303
FIX 40	4-16	40	250	bag	8,20	PA-PD-TS-0-01304
FIX 45	4-16	45	125	bag	9,20	PA-PD-TS-0-01298
FIX 50	4-16	50	125	bag	10,40	PA-PD-TS-0-01306

## Plastic point spacer KOŚĆ



Symbol	Rebar diameter [mm]	Concrete cover [mm]	Package bag [pcs]	Sale unit	Weight [kg/bag]	Article no.
KOŚĆ 15/20/25	6-14	15/20/25	500	bag	2,72	PA-PD-TS-0-01309
KOŚĆ 20/25/30/35	6-14	20/25/30/35	500	bag	6,76	PA-PD-TS-0-01312
KOŚĆ 20/25/30	6-14	20/25/30	500	bag	4,08	PA-PD-TS-0-16870

## Plastic point spacer PADIX



Symbol	Rebar diameter $\Phi$ [mm]	Concrete cover [m.m]	Package bag [pcs]	Sale unit	Weight [kg/100 pcs]	Article no.
PADIX 15/4-10	4-10	15	1000	bag	0,24	PA-PD-TS-0-01250
PADIX 20/4-12	4-12	20	500	bag	0,43	PA-PD-TS-0-01254
PADIX 20/6-20	6-20	20	250	bag	0,75	PA-PD-TS-0-01256
PADIX 25/4-12	4-12	25	500	bag	0,62	PA-PD-TS-0-01260
PADIX 25/6-20	6-20	25	250	bag	0,85	PA-PD-TS-0-01262
PADIX 25/8-16	8-16	25	500	bag	0,85	PA-PD-TS-0-01263
PADIX 30/4-12	4-12	30	500	bag	0,90	PA-PD-TS-0-01266
PADIX 30/6-20	6-20	30	125	bag	1,40	PA-PD-TS-0-01268
PADIX 35/4-16	4-16	35	250	bag	1,04	PA-PD-TS-0-01272
PADIX 35/6-20	6-20	35	125	bag	1,800	PA-PD-TS-0-01274
PADIX 40/4-12	4-12	40	125	bag	1,670	PA-PD-TS-0-01275
PADIX 40/5-20	5-20	40	250	bag	1,870	PA-PD-TS-0-01281
PADIX 50/4-12	4-12	50	100	bag	2,280	PA-PD-TS-0-01283
PADIX 50/8-20	8-20	50	50	bag	2,360	PA-PD-TS-0-01286
PADIX 50/8-20	8-20	50	250	bag	2,360	PA-PD-TS-0-06231

## Plastic point spacer STYROFIX


Symbol	Rebar diameter $\Phi$ [mm]	Concrete cover [mm]	Package bag [pcs]	Sale unit	Weight [kg/100 pcs]	Article no.
STYROFIX 15/20	8-16	15/20	500	bag	1,10	PA-PD-TS-0-01315
STYROFIX 25/30	8-16	25/30	400	bag	1,30	PA-PD-TS-0-01316
STYROFIX 40/50	6-16	40/50	200	bag	2,20	PA-PD-TS-0-01317
STYROFIX 50/60	6-16	50/60	200	bag	2,50	PA-PD-TS-0-01318
STYROFIX 70/80	8-16	70/80	200	bag	3,50	PA-PD-TS-0-01319
STYROFIX 90/100	8-16	90/100	100	bag	4,70	PA-PD-TS-0-01320



## Steel line spacer ZET

Spacer ZET is made of cold ribbed steel. Diameter of rods is 3,5mm (there is possibility to produce using diameter 4 or 5 mm on request). Spacing between vertical rods depends on spacer type and it amounts to ZET 1 = 150 mm, ZET 2 = 100 mm. Length of horizontal rods is 2400 mm. Total length of one piece of spacer is 2000 mm.

Symbol	Height [mm]	Package bunch/pallet [pcs]	Sale unit	Weight [kg/pcs]	Article no.
ZET-S 1-5	50	25/1000	bunch	0,180	PA-PD-ST-1-07084
ZET-S 2-5	50	25/1000	bunch	0,192	PA-PD-ST-1-07085
ZET-S 1-6	60	25/1000	bunch	0,182	PA-PD-ST-1-07086
ZET-S 2-6	60	25/1000	bunch	0,196	PA-PD-ST-1-07087
ZET-S 1-7	70	25/1000	bunch	0,187	PA-PD-ST-1-07088
ZET-S 2-7	70	25/1000	bunch	0,204	PA-PD-ST-1-07089
ZET-S 1-8	80	25/1000	bunch	0,192	PA-PD-ST-1-07090
ZET-S 2-8	80	25/1000	bunch	0,212	PA-PD-ST-1-07091
ZET-S 1-9	90	25/1000	bunch	0,197	PA-PD-ST-1-07092
ZET-S 2-9	90	25/1000	bunch	0,219	PA-PD-ST-1-07093
ZET-S 1-10	100	25/500	bunch	0,202	PA-PD-ST-1-07094
ZET-S 2-10	100	25/500	bunch	0,227	PA-PD-ST-1-07095
ZET-S 1-11	110	25/500	bunch	0,207	PA-PD-ST-1-07096
ZET-S 2-11	110	25/500	bunch	0,235	PA-PD-ST-1-07097
ZET-S 1-12	120	25/500	bunch	0,213	PA-PD-ST-1-07098
ZET-S 2-12	120	25/500	bunch	0,242	PA-PD-ST-1-07099
ZET-S 1-13	130	25/500	bunch	0,218	PA-PD-ST-1-07100
ZET-S 2-13	130	25/500	bunch	0,250	PA-PD-ST-1-07101
ZET-S 1-14	140	25/500	bunch	0,223	PA-PD-ST-1-07108
ZET-S 2-14	140	25/500	bunch	0,257	PA-PD-ST-1-07109
ZET-S 1-15	150	25/500	bunch	0,228	PA-PD-ST-1-07110
ZET-S 2-15	150	25/500	bunch	0,265	PA-PD-ST-1-07111
ZET-S 1-16	160	25/500	bunch	0,233	PA-PD-ST-1-07112
ZET-S 2-16	160	25/500	bunch	0,273	PA-PD-ST-1-07113
ZET-S 1-17	170	25/500	bunch	0,238	PA-PD-ST-1-07114
ZET-S 2-17	170	25/500	bunch	0,281	PA-PD-ST-1-07115



Symbol	Height [mm]	Package bunch/pallet [pcs]	Sale unit	Weight [kg/pcs]	Article no.
ZET-S 1-18	180	25/500	bunch	0,243	PA-PD-ST-1-07116
ZET-S 2-18	180	25/500	bunch	0,288	PA-PD-ST-1-07117
ZET-S 1-19	190	25/500	bunch	0,249	PA-PD-ST-1-07118
ZET-S 2-19	190	25/500	bunch	0,296	PA-PD-ST-1-07119
ZET-S 1-20	200	25/500	bunch	0,254	PA-PD-ST-1-07120
ZET-S 2-20	200	25/500	bunch	0,304	PA-PD-ST-1-07121
ZET-S 1-21	210	25/500	bunch	0,272	PA-PD-ST-0-07122
ZET-S 2-21	210	25/500	bunch	0,311	PA-PD-ST-1-07123
ZET-S 1-22	220	25/300	bunch	0,278	PA-PD-ST-1-07124
ZET-S 2-22	220	25/300	bunch	0,319	PA-PD-ST-1-07125
ZET-S 1-23	230	25/300	bunch	0,284	PA-PD-ST-1-07126
ZET-S 2-23	230	25/300	bunch	0,327	PA-PD-ST-1-07127
ZET-S 1-24	240	25/300	bunch	0,289	PA-PD-ST-1-07128
ZET-S 2-24	240	25/300	bunch	0,335	PA-PD-ST-1-07129
ZET-S 1-25	250	25/300	bunch	0,295	PA-PD-ST-1-07130
ZET-S 2-25	250	25/300	bunch	0,342	PA-PD-ST-1-07131
ZET-S 1-26	260	25/300	bunch	0,317	PA-PD-ST-1-07132
ZET-S 2-26	260	25/300	bunch	0,350	PA-PD-ST-1-07133
ZET-S 1-27	270	25/300	bunch	0,324	PA-PD-ST-1-07134
ZET-S 2-27	270	25/300	bunch	0,357	PA-PD-ST-1-07135
ZET-S 1-28	280	25/300	bunch	0,330	PA-PD-ST-1-07136
ZET-S 2-28	280	25/300	bunch	0,365	PA-PD-ST-1-07137
ZET-S 1-29	290	25/300	bunch	0,336	PA-PD-ST-1-07138
ZET-S 2-29	290	25/300	bunch	0,373	PA-PD-ST-1-07139
ZET-S 1-30	300	25/300	bunch	0,343	PA-PD-ST-1-07140
ZET-S 2-30	300	25/300	bunch	0,381	PA-PD-ST-1-07141

## Concrete line spacer FB-DH

Concrete spacer made of squeezed fibre-reinforced concrete. It has isosceles triangular cross section with galvanised wire. It is used for vertical reinforcing. It provides full concrete cover for all steel elements and it guarantees waterproof and fireproof class for whole structure.



Symbol	Lenght [mm]	Concrete cover [mm]	Quantity in the bag [pcs]	Sale unit	Weight [kg/bag]	Article no.
FB-DH 25 L=270 mm	270	25	60	bag	9,5	PA-PD-BN-4-44180
FB-DH 30 L=270 mm	270	30	60	bag	13,6	PA-PD-BN-4-44182
FB-DH 35 L=270 mm	270	35	50	bag	16,3	PA-PD-BN-4-44183
FB-DH 40 L=270 mm	270	40	40	bag	19,0	PA-PD-BN-4-44184
FB-DH 45 L=270 mm	270	45	40	bag	20,0	PA-PD-BN-4-44185
FB-DH 50 L=270 mm	270	50	40	bag	24,4	PA-PD-BN-4-44186
FB-DH 55 L=270 mm	270	55	40	bag	29,0	PA-PD-BN-4-44187
FB-DH 60 L=270 mm	270	60	40	bag	32,7	PA-PD-BN-4-44188

## Concrete line spacer FB-D

Concrete spacer made of squeezed fibre-reinforced concrete. It has isosceles triangular cross section for heavy horizontal reinforcing steel. It provides stable thickness of concrete cover. It guarantees waterproof and fireproof class for whole structure.

Symbol	Length [mm]	Concrete cover [mm]	Quantity per pallet [pcs]	Sale unit	Weight [kg/pallet]	Article no.
FB-D 20 L=400 mm	400	20	500	pallet	176	PA-PD-BN-4-44170
FB-D 25 L=400 mm	400	25	500	pallet	206	PA-PD-BN-4-44171
FB-D 30 L=400 mm	400	30	350	pallet	175	PA-PD-BN-4-44172
FB-D 35 L=400 mm	400	35	300	pallet	212	PA-PD-BN-4-44173
FB-D 40 L=400 mm	400	40	250	pallet	217	PA-PD-BN-4-44174
FB-D 45 L=400 mm	400	45	250	pallet	277	PA-PD-BN-4-44175
FB-D 50 L=400 mm	400	50	200	pallet	267	PA-PD-BN-4-44176
FB-D 55 L=400 mm	400	55	200	pallet	336	PA-PD-BN-4-44177
FB-D 60 L=400 mm	400	60	200	pallet	404	PA-PD-BN-4-44178
FB-D 70 L=400 mm	400	70	100	pallet	275	PA-PD-BN-4-44179



## Concrete line spacer BK

Symbol	Length [mm]	Concrete cover [mm]	Quantity per pallet [pcs]	Sale unit	Weight [kg/pallet]	Article no.
BK 20 L=250 mm	250	20	5160	pallet	1042	PA-PD-BN-0-01115
BK 20 L=500 mm	500	20	2580	pallet	1042	PA-PD-BN-0-01118
BK 25 L=250 mm	250	25	3750	pallet	987	PA-PD-BN-0-01120
BK 25 L=500 mm	500	25	1875	pallet	987	PA-PD-BN-0-01123
BK 30 L=250 mm	250	30	2800	pallet	984	PA-PD-BN-0-01125
BK 30 L=500 mm	500	30	1400	pallet	984	PA-PD-BN-0-01127
BK 40 L=250 mm	250	40	1850	pallet	925	PA-PD-BN-0-01130
BK 40 L=500 mm	500	40	925	pallet	925	PA-PD-BN-0-01132
BK 45 L=250 mm	250	45	1620	pallet	980	PA-PD-BN-0-01134
BK 45 L=500 mm	500	45	810	pallet	980	PA-PD-BN-0-01136
BK 50 L=250 mm	250	50	1300	pallet	962	PA-PD-BN-0-01138
BK 50 L=500 mm	500	50	650	pallet	962	PA-PD-BN-0-01140
BK 55 L=500 mm	500	55	590	pallet	970	PA-PD-BN-0-01144
BK 60 L=250 mm	250	60	1000	pallet	950	PA-PD-BN-0-01145
BK 60 L=500 mm	500	60	500	pallet	950	PA-PD-BN-0-01147
BK 70 L=250 mm	250	70	740	pallet	851	PA-PD-BN-0-01150
BK 70 L=500 mm	500	70	370	pallet	851	PA-PD-BN-0-01152
BK 70 L=1200 mm	1200	70	150	pallet	620	PA-PD-BN-0-01149




## Concrete line spacer BK Z



Symbol	Length [mm]	Concrete cover [mm]	Quantity per pallet [pcs]	Sale unit	Weight [kg/pallet.]	Article no.
BK Z 25 L=800 mm	800	25	1200	pallet	900	PA-PD-BN-0-01110
BK Z 30 L=800 mm	800	30	750	pallet	898	PA-PD-BN-0-01111
BK Z 40 L=800 mm	800	40	500	pallet	833	PA-PD-BN-0-01112
BK Z 50 L=800 mm	800	50	400	pallet	860	PA-PD-BN-0-01113
BK Z 70 L=800 mm	800	70	250	pallet	900	PA-PD-BN-0-01114

## Concrete line spacer BK-d



Symbol	Length [mm]	Concrete cover [mm]	Quantity on the pallet [pcs]	Sale unit	Weight [kg/pallet]	Article no.
BK-d 20 L=250 mm	250	20	5160	pallet	1050	PA-PD-BN-0-01116
BK-d 20 L=500 mm	500	20	2580	pallet	1050	PA-PD-BN-0-01119
BK-d 25 L=250 mm	250	25	3750	pallet	990	PA-PD-BN-0-01121
BK-d 25 L=500 mm	500	25	1875	pallet	990	PA-PD-BN-0-01124
BK-d 30 L=250 mm	250	30	2800	pallet	990	PA-PD-BN-0-01126
BK-d 30 L=500 mm	500	30	1400	pallet	990	PA-PD-BN-0-01128
BK-d 40 L=250 mm	250	40	1850	pallet	932	PA-PD-BN-0-01131
BK-d 40 L=500 mm	500	40	925	pallet	936	PA-PD-BN-0-01133
BK-d 45 L=250 mm	250	45	1620	pallet	990	PA-PD-BN-0-01135
BK-d 45 L=500 mm	500	45	810	pallet	990	PA-PD-BN-0-01137
BK-d 50 L=250 mm	250	50	1300	pallet	967	PA-PD-BN-0-01139
BK-d 50 L=500 mm	500	50	650	pallet	970	PA-PD-BN-0-01143
BK-d 60 L=250 mm	250	60	1000	pallet	954	PA-PD-BN-0-01146
BK-d 60 L=500 mm	500	60	500	pallet	956	PA-PD-BN-0-01148
BK-d 70 L=250 mm	250	70	740	pallet	854	PA-PD-BN-0-01151
BK-d 70 L=500 mm	500	70	370	pallet	855	PA-PD-BN-0-01155

## Concrete point spacer BK PS




Symbol	Concrete cover [mm]	Quantity in the bag [pcs]	Number of bags on a pallet	Sale unit	Weight [kg/package]	Article no.
BK PS 20	20	800	35	pallet	10,00	PA-PD-BN-0-01061
BK PS 25	25	600	35	pallet	12,10	PA-PD-BN-0-01063
BK PS 30	30	500	35	pallet	14,25	PA-PD-BN-0-01065
BK PS 35	35	250	35	pallet	14,38	PA-PD-BN-0-01066
BK PS 40	40	250	35	pallet	20,00	PA-PD-BN-0-01067
BK PS 50	50	200	35	pallet	26,00	PA-PD-BN-0-01068
BK PS 60	60	100	50	pallet	12,70	PA-PD-BN-0-01069
BK PS 70	70	100	50	pallet	15,10	PA-PD-BN-0-01070




## Concrete point spacer BK T-d

Symbol	Concrete cover [mm]	Quantity in the bag [pcs]	Number of bags on a pallet	Sale unit	Weight [kg/bag]	Article no.
BK T-d 20	20	300	60	bag	16,00	PA-PD-BN-0-01076
BK T-d 25	25	300	60	bag	17,00	PA-PD-BN-0-40189
BK T-d 30	30	250	55	bag	17,00	PA-PD-BN-0-01087
BK T-d 35	35	250	45	bag	20,00	PA-PD-BN-0-01090
BK T-d 40	40	250	40	bag	23,00	PA-PD-BN-0-01094
BK T-d 50	50	150	40	bag	26,00	PA-PD-BN-0-01097




## Concrete point spacer BK T

Symbol	Concrete cover [mm]	Quantity in the bag [pcs]	Number of bags on a pallet	Sale unit	Weight [kg/bag]	Article no.
BK T 20	20	800	35	bag	24,00	PA-PD-BN-0-01074
BK T 25	25	600	35	bag	21,00	PA-PD-BN-0-01080
BK T 30	30	500	35	bag	25,00	PA-PD-BN-0-01086
BK T 35	35	250	35	bag	21,00	PA-PD-BN-0-20160
BK T 40	40	250	35	bag	25,00	PA-PD-BN-0-01092
BK T 50	50	200	35	bag	30,00	PA-PD-BN-0-01096
BK T 70	70	100	35	bag	30,00	PA-PD-BN-0-01101



## Concrete point spacer FB-d Kość

Symbol	Concrete cover [mm]	Quantity in the bag [pcs]	Number of bags on a pallet	Sale unit	Weight [kg/bag]	Article no.
FB Kość 20/25/30	20/25/30	500	50	bag	18,0	PA-PD-BN-0-01102
FB-d Kość 20/25/30	20/25/30	500	50	bag	19,0	PA-PD-BN-0-01104
FB Kość 35/40/50	35/40/50	250	40	bag	26,5	PA-PD-BN-0-01106
FB-d Kość 35/40/50	35/40/50	250	40	bag	27,5	PA-PD-BN-0-01107
FB Kość 45/55/60	45/55/60	125	40	bag	29,0	PA-PD-BN-0-01108
FB-d Kość 45/55/60	45/55/60	125	40	bag	30,0	PA-PD-BN-0-01109



## Tying wire



Symbol	Wire diameter [mm]	Package	Sale unit	Weight [kg/package]	Article no.
Tying wire 1,2 mm coils	1,2	coils	kg	ca. 20÷50	PA-AZ-00-0-01036
Tying wire 1,4 mm coils	1,4	coils	kg	ca. 20÷50	PA-AZ-00-0-01041
Tying wire 1,6 mm coils	1,6	coils	kg	ca. 100	PA-AZ-00-0-01045
Tying wire 1,2 mm hanks	1,2	bag	kg	25	PA-AZ-00-0-01039
Tying wire 1,4 mm hanks	1,4	bag	kg	25	PA-AZ-00-0-01043
Tying wire 1,6 mm hanks	1,6	bag	kg	25	PA-AZ-00-0-01046

## Self torsion wrench for reinforcement fixing STUBAI



Symbol	Lenght [mm]	Package [pcs]	Sale unit	Weight [kg/pcs]	Article no.
Self torsion wrench STUBAI	320	1	pcs	0,425	NA-NA-00-0-04708

## Self turning wrench for reinforcement fixing STUBAI



Symbol	Lenght [mm]	Package [pcs]	Sale unit	Weight [kg/pcs]	Article no.
Self turning wrench STUBAI	300	1	pcs	0,140	NA-NA-00-0-04722

## Pincers for reinforcement STUBAI



Symbol	Lenght [mm]	Package [pcs]	Sale unit	Weight [kg/pcs]	Article no.
Pincers for reinforcement STUBAI	300	1	pcs	0,505	NA-NA-00-0-04675